# **CONDIMENT**











#### 18/8 STAINLESS STEEL CONDIMENT DISPENSER

- Ideal for high-volume food service environments
- Two (2) 3-1/2 Qt plastic fountain jars included (7 Qt total) remove for easy cleaning & refilling
- Each pump dispenses between 1 oz and 1-1/4 oz portions
- Overall dimensions: 11"L x 8-3/4"W x 16"H (with pump)

<b>∞</b> -	ITEM	DESCRIPTION	UOM	CASE
	PKTS-2D	Condiment Dispenser with 2 Standard Pumps	Set	1
	PKTS-PT01	Individual Pump with Lid	Each	20
	PKTS-PT02	Replacement Plastic Fountain Jar	Each	6
	PKTS-PT03	Stainless Steel Casing	Each	1





#### PUMP DISPENSER WITH 3 RESTRICTORS SET

- Perfect for condiments, hand sanitizer and hand soap
- ♦ 1-1/2" dia cap fits most 1 gallon jug
- Restricts 1 oz, 3/4 oz, 1/2 oz, 1/4 oz capacities

ITEM	DESCRIPTION	UOM	CASE
PKT-1	17" O.L.	Set	12/72

8" tube can be trimmed to custom length

## **SCALES**





#### DIGITAL PORTION-CONTROL SCALE

- 6" x 6" stainless steel platform can be used as a tray
- Piece count, unit and tare functions
- Measures in five different units Ib:oz, Ib, oz, kg, g
- Includes three AAA batteries and AC adapter
- ♦ 2-1/2"L x 1"W backlight LCD screen

ITEM	DESCRIPTION	CAPACITY	UOM	CASE
SCAL-D22		,	Set	1/36
	Digital Screen	10 kg		

SCAL-D22

### MECHANICAL STAINLESS STEEL RECEIVING SCALES

- Large, stable platform
- \* Shatter-proof lens protects dial
- Default calibration is pounds

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCAL-62	6.5" Dial	2 Lb / 1 kg	1/4 Oz / 5 g	Each	8
SCAL-66	6.5" Dial	6 Lb / 3 kg	1/2 Oz / 10 g	Each	8
SCAL-810	8" Dial	10 Lb / 4.55 kg	1 Oz / 25 g	Each	6
SCAL-820	8" Dial	20 Lb / 9.09 kg	1 Oz / 50 g	Each	6
SCAL-840	8" Dial	40 Lb / 18.18 kg	2 Oz / 100 g	Each	6
SCAL-960	9" Dial	60 Lb / 27.27 kg	4 Oz / 100 g	Each	2
SCAL-9100	9" Dial	100 Lb / 45.45 kg	4 Oz / 100 g	Each	2
SCAL-9130	9" Dial	130 Lb / 59.09 kg	8 Oz / 200 g	Each	2





SCAL-840

#### Large platform





SCLH-2 SCLH-50

#### MECHANICAL STAINLESS STEEL KITCHEN SCALES

- Large 8" platform
- \* Shatter-proof lens protects dial

ITEM	DESCRIPTION	CAPACITY	GRADATIONS	UOM	CASE
SCLH-2	8" Dial	32 Oz	1/8 Oz / 10 g	Each	1/4
SCLH-50	8" Dial	50 Lb	1/8 Lb / 500 g	Each	1/4



New Item

#### WHIPPED CREAM DISPENSER

- Includes 3 decorating tips to create unique dessert and beverage presentations, and a brush to clean them
- Capacity: 1 Pint (0.5L)
- Fits standard 8gm N2O cartridge (not included); compatible with all brands of whipped cream cartridges
- Durable aluminum bottle with stainless steel handle
- Hand-wash only

ITEM	DESCRIPTION	SIZE	UOM	CASE
CW-A05	Whipped Cream Dispenser with 3 Decorating Tips	3" Dia x 12"H	Each	1/12
CW-P	3 Tips With 1 Cleaning Brush		Set	1
CW-PG	Replacement Gasket 3-Pcs/Pk		Pack	1



#### PREMIUM MANDOLINE SLICERS

- MDL-18 features rubberized handle for a non-slip grip and rotary side dial for precise thickness control.
- Includes three (3) built-in blade styles at varying thicknesses:
- ◆ SLICE 1/8", 1/4", 3/8"
- ◆ SERRATED/WAFFLE 1/8", 1/4", 3/8"
- ◆ JULIENNE 1/8", 3/8"
- MDL-15 includes five (5) interchangeable blades
- Non-skid stand for stability, folds for compact storage
- Easy-clean stainless steel body
- Each set includes an easy-grip stainless steel hand guard



# **MANDOLINE SLICERS**









Built-in blade styles and thicknesses



#### MANDOLINE SLICER SET

- Built-in julienne, and reversible slicing & serrated blades at varying thicknesses
- Non-skid, folding stand for compact storage
- Rotary adjustment dial
- Plastic body with rubberized; easy-grip hand guard

ITEM	DESCRIPTION	UOM	CASE	
MDI-4P	Mandoline Slicer Set	Set	1/8	

#### JAPANESE MANDOLINE SLICER SET

- Sharp blades for clean cuts
- Built-in blade adjusts thickness
- Great for carrots, onions, cucumbers and more
















# SLICERS & CHOPPER





### POLYCARBONATE BAGEL SLICER

- High-carbon, non-stick blade with serrated edge provides precise cuts with every slice
- Clear guard allows visibility & protects hands/fingers from injury
- Wide base helps maintain stability while in use
- Dishwasher safe

ITEM	DESCRIPTION	UOM	CASE
BGS-1	7"L x 3-1/2"W x 9"H	Set	1/12
BGS-1B	Replacement Blade with Guard	Each	1/12





#### TURNING SLICER

- Produce beautiful vegetable strands and curly ribbons in minutes with a turn of the handle
- Includes plastic turner, built-in straight blade and 3 interchangeable julienne blades

<u> </u>	ITEM	DESCRIPTION	UOM	CASE
	VTS-3G	11"L x 5"W x 7-3/8"H	Each	1/12
	VTS-3GBS	Serrated Blade Set for VTS-3G, 3-Pc: Coarse, Medium, Fine	Set	30





#### **FOOD CHOPPER**

- 18/8 stainless steel construction with plastic base
- Zigzag-shaped blade rotates for dicing
- 0.5mm blade thickness

ITEM	DESCRIPTION	UOM	CASE
FCS-3	3" Dia	Each	6/24

## **FOOD MILLS**





#### LARGE-SIZE FOOD MILL

- Comes with five interchangeable cutting plates with varying perforations for a variety of textures
- Four with round perforations of 8mm, 4mm, 3mm or 2mm diameter, and one with rectangular 3 x 8.5mm
- Output is approximately 3 lbs per minute and fits on a 7" or larger receptacle

ITEM	DESCRIPTION	SIZE	UOM	CASE
S\/M_12	5.Qt	12-3///"Dia	Set	1//





#### **MEDIUM-SIZE STAINLESS STEEL FOOD MILLS**

ITEM	DESCRIPTION	SIZE	UOM	CASE
SVM-3	2 Qt w/4 Graters	8"Dia	Set	1/8
SVM-9	2 Qt w/3 Graters	9"Dia	Set	1/6







#### CHROME-PLATED STAINLESS STEEL PASTA MAKER

Roll out 7" wide, uniform dough sheets for building lasagnas and raviolis. Cut thin strands of spaghetti or wide fettuccine noodles with the dual-width cutting attachment.

- ♦ 7" long roller dial adjusts for 9 thicknesses
- Cuts either 2mm or 8mm widths
- Clamps to work surface for secure operation
- Also ideal for rolling gum paste or fondant sheets

ITEM	DESCRIPTION	UOM	CASE	
NPM-7	Pasta Maker	Set	1/6	






#### TORTILLA PRESSES

- Traditional press with excellent leverage
- ♦ Integrated handle allows for easy open and removal of corn and flour tortillas
- Great for making burritos, enchiladas and quesadillas

ITEM	DESCRIPTION	WEIGHT	UOM	CASE	
TPC-8A	8"Dia, Aluminum, Non-Stick	1.52Lbs	Each	6/12	
TPC-8C	8"Dia, Cast Iron	7.94Lbs	Each	1/4	





#### TRIPLE FUNCTION APPLE PEELER

#### Peel, slice, and core in one motion.

- Cast aluminum body with sharp stainless steel blade
- Vacuum base holds peeler securely to any smooth surface
- Disassembles for cleaning
- Also ideal for sturdy fruits and root vegetables

ITEM	DESCRIPTION	UOM	CASE
AP-12	10"L x 6"W x 4-1/4"H	Set	1/12





#### PREMIUM HAND-PRESS CITRUS JUICER

Extract juice from fresh fruits with ease, maximizing yield by squeezing out every last drop. The strainer catches seeds and pulp, while fresh-squeezed juice pours out.

- Sturdy, reinforced base with rubber feet prevent sliding
- ♦ Strong steel post support and smooth lever action
- ◆ Ideal for medium to small citrus fruits
- ◆ Base accommodates standard glass/cup (not included)

ITEM	DESCRIPTION	UOM	CASE
JC-19	Premium 19"H Juicer	Each	1/2





#### MARBLE MORTAR & PESTLE SET

- Grind, crush, blend
- ♦ 4-1/2" diameter bowl

ITEM	DESCRIPTION	UOM	CASE
MPS-42W	Mortar & Pestle	Set	1/12







MPS-42W

# STAINLESS STEEL MIXING BOWLS



MXHV-500

## **HEAVY-DUTY MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXHV-75	3/4 Qt	6-1/4" x 1-3/4"	Each	12/72
MXHV-150	1-1/2 Qt	7-3/4" x 2-1/4"	Each	12/36
MXHV-300	3 Qt	9-7/8" x 3"	Each	12/24
MXHV-400	4 Qt	10-5/8" x 3-1/4"	Each	12/24
MXHV-500	5 Qt	11-5/8" x 3-3/8"	Each	6/12
MXHV-800	8 Qt	13-3/4" x 5"	Each	6/12
MXHV-1300	13 Qt	16-1/4" x 4-1/2"	Each	12
MXHV-1600	16 Qt	17-3/4" x 5-1/2"	Each	12
MXHV-2000	20 Qt	18-3/4" x 5"	Each	12

#### **DEEP MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBH-300	3 Qt	9" x 3-1/2"	Each	12/48
MXBH-500	5 Qt	10-1/4" x 4-1/2"	Each	12/36
MXBH-800	8 Qt	12" x 5"	Each	12/24
MXBH-1300	13 Qt	15" x 5-3/4"	Each	12



#### **ALL-PURPOSE MIXING BOWLS**

True capacity for all-purpose kitchen prep work

	'			
ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXBT-75Q	3/4 Qt	6-3/8" x 2-3/8"	Each	12/144
MXBT-150Q	1-1/2 Qt	7-7/8" x 2-7/8"	Each	12/144
MXBT-300Q	3 Qt	10-1/4" x 3-5/8"	Each	12/72
MXBT-400Q	4 Qt	11" x 3-3/4"	Each	12/72
MXBT-500Q	5 Qt	11-7/8" x 4"	Each	12/72
MXBT-800Q	8 Qt	13-3/4" x 5	Each	12/36
MXBT-1300Q	13 Qt	16-3/8" x 5-7/8"	Each	12/24
MXBT-1600Q	16 Qt	17-7/8" x 6"	Each	12
MXBT-2000Q	20 Qt	19" x 6-5/8"	Each	12



MXBT-500Q

MXB-950Q

### **ECONOMY MIXING BOWLS**

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
MXB-75Q	3/4 Qt	6-1/4" x 1-3/4	Each	12/144
MXB-150Q	1-1/2 Qt	7-3/4" x 2-1/2"	Each	12/144
MXB-300Q	3 Qt	9-1/2" x 3-1/2"	Each	12/72
MXB-400Q	4 Qt	10-5/8" x 3-1/2"	Each	12/72
MXB-500Q	5 Qt	11-1/2" x 3-1/2"	Each	12/72
MXB-800Q	8 Qt	13-1/4" x 4-1/8"	Each	12/36
MXB-950Q	9-1/2 Qt	15-3/8" x 4-1/4"	Each	24
MXB-1300Q	13 Qt	16" x 4-1/2"	Each	24
MXB-1600Q	16 Qt	17-3/4" x 5"	Each	12
MXB-2000Q	20 Qt	18-5/8" x 5-1/2"	Each	12
MXB-3000Q	30 Qt	22-1/2" x 7-1/2"	Each	12



MXRU-SERIES

#### SILICONE BASE MIXING BOWLS

 Non-skid silicone base helps to keep bowl in place while mixing and prepping

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE	
MXRU-150	1-1/2 Qt	6-3/4" x 3-3/4"	Each	48	
MXRU-300	3 Qt	8-1/2" x 4-3/8"	Each	24	
MXRU-500	5 Qt	10-1/4" x 5-5/8"	Each	24	
MXRU-800	8 Qt	11-3/4" x 6-1/2"	Each	6/12	



#### MIXING BOWL STAND

ITEM	DESCRIPTION	UOM	CASE
MXBS-30	Stand for MXB-3000Q	Set	1
MXBS-30-C	Caster for MXBS-30	Fach	4/24

# HEAVY-DUTY STAINLESS STEEL COLANDERS WITH HANDLES AND BASE

- Ideal for rinsing large fruits/vegetables, straining potatoes, or draining pastas or meats
- ◆ Tapered, high-wall cone shape
- ♦ Holes sized to keep food in but allow water to flow freely
- ◆ Durable, sturdy, easy to transport between prep stations

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
SLO-11	11 Qt	15" x 7-1/2"	Each	1
SLO-16	16 Qt	16-1/2" x 7-1/2"	Each	1

## **COLANDERS**



SLO-16

# STAINLESS STEEL ALL-PURPOSE COLANDERS WITH HANDLES AND BASE

◆ Tapered sides, sturdy rounded handles, footed base

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
COD-3	3 Qt	10" x 4"	Each	12/48
COD-5	5 Qt	11-5/8" x 4"	Each	24
COD-8	8 Qt	13-1/4" x 5-1/8"	Each	12
COD-14	14 Qt	16-1/4" x 5-7/8"	Each	12



#### STAINLESS STEEL CHINESE-STYLE COLANDERS

- ◆ Wide, smooth-edge rim for safe and secure grip
- ◆ Coarse = 5mm diameter drain holes
- ◆ Fine = 2-1/2mm diameter drain holes

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
CCOD-11L	5-1/4 Qt, Coarse	11-3/4" x 4"	Each	24
CCOD-13L	9 Qt, Coarse	14-1/8" x 4-3/4"	Each	24
CCOD-15L	13-3/4 Qt, Coarse	16-3/8" x 5-1/8"	Each	12
CCOD-118	5-1/4 Qt, Fine	12" x 4"	Each	24
CCOD-13S	9 Qt, Fine	15" x 4-1/2"	Each	24
CCOD-15S	13-3/4 Qt, Fine	16-3/8" x 5-1/2"	Each	12



#### ALUMINUM COLANDERS WITH HANDLES AND BASE

- Riveted handles for added strength and easy transport
- Flat and sturdy footed base for raised draining

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
ALO-8BH	8 Qt	12" x 5"	Each	6
ALO-11BH	11 Qt	15" x 5-3/4"	Each	6
ALO-16BH	16 Qt	16-1/2" x 7-1/8"	Each	4



ALO-16BH

#### **ALUMINUM COLANDERS WITHOUT BASE**

Traditional tapered sides

ITEM	DESCRIPTION	SIZE (DIA X DEPTH)	UOM	CASE
ALO-12	12 Qt	13-1/2" x 5-1/2"	Each	12
ALO-16	16 Qt	16" x 8"	Each	12
ALO-16H	16 Qt	16-1/8" x 8"	Each	6







# **BUTTER ROLLER**





- ◆ Standard 1/6 size steam table pan, fits into 7"L x 6-3/8"W size opening
- Spreads butter evenly, reducing butter/dressing waste
- Roller is removable for easy cleaning
- Safe, sanitary, quick prep

ITEM	DESCRIPTION	UOM	CASE
SPBR-604	7"L x 6-3/8"W	Each	1/6

## BATTER DISPENSERS



#### ALUMINUM PANCAKE BATTER DISPENSER

- Dispense a consistent amount of batter
- ♦ 88oz (11 cups) overall capacity
- ♦ 8 portion-control settings range from 1oz to 3oz
- ◆ 10-gauge high-grade aluminum body
- Long lasting parts prevent clogging and leaking

00-	ITEM	DESCRIPTION	UOM	CASE
	APCD-6	Pancake Dispenser, Alu	Each	1/6
	APCD-6R	Rack for APCD-6	Each	12/48



APCD-6 & APCD-6R





**CONFECTIONERY FUNNEL** 

- Use to dispense a smooth flow of fondant, syrup or prepared creams
- Spring valve feature allows for easy control with single-handed operation
- Comes with 3 nozzles: 4mm, 5mm, 6mm
- Rack sold separately

~~	ITEM	DESCRIPTION	UOM	CASE
	SF-7	Confectionary Funnel, S/S	Each	1/8
	SF-7R	Rack for SF-7, S/S	Each	1/24





#### PANCAKE TURNER

- Heat resistant up to 608°F (320°C)
- Non-stick friendly nylon blade
- ◆ 18/8 stainless steel handle

ITEM	DESCRIPTION	UOM	CASE
STN-3	15-7/16"L x 5-15/16"W x 2-13/16"H	Each	24/48

## **UTILITY PAIL**



#### STAINLESS STEEL UTILITY PAIL

ITEM	DESCRIPTION	UOM	CASE
UP-13	13 Qt	Each	12



New Item



### DIGITAL

- Easy-read LCD display and excellent, quick response times for fast temperature readings
- ◆ Step-down probe models ideal for delicate foods to avoid breaking skin

ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	GUIDELINE ON DIAL	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-DG1	NSE	-40° - 302°F; -40° - 150°C	1"	4-3/4"L	Meat Cooking Temperature Guide	Tapered Tip Probe     Protective Sleeve	Each	12/144
TMT-DG2	N/A	-49° - 392°F; -45° - 200°C	1-3/16"	4-3/4"L	Meat Cooking Temperature Guide	• Step-Down Probe • Easy-Read LCD Swivels 180°	Each	12/72
TMT-DG4	NSE	-40° - 450°F; -40° - 230°C	1-1/4"	3-1/8"L	HACCP	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	3/144
TMT-DG5	N/A	-49° - 392°F; -45° - 200°C	1-3/8" Back-Lit	2-7/8"L	Meat Cooking Temperature Guide	Min. & Max. Feature     Hold Function • Lanyard	Each	12/72
TMT-DG6	N/A	-58 - 572°F; -50 - 300°C	1-7/8"	6"L		<ul><li>Step-Down Probe</li><li>Flip-Down Stand</li><li>Magnet Included</li></ul>	Set	24/96
TMT-DG7	NSE	-40° - 572°F; -40° - 300°C	1-1/2"	4"L		<ul><li>Thermocouple</li><li>1.5mm Step-Down Folding Probe</li><li>Hold &amp; Auto-Off Functions</li><li>Calibratable</li></ul>	Each	12/72
TMT-WD2	NSE	-40° - 450°F; -40° - 232°C	1-3/8"W	2-3/4"L		1.5mm Step-Down Folding Probe     Auto-Off Function     Lanyard Included	Each	12/96

### **WATERPROOF DIGITAL THERMOMETERS**

- Compact thermometers provide fast temperature readings for liquids or solids
- ◆ Protective sleeve included
- Step-down probe models ideal for delicate skinned foods

ITEM	NSF .	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-WD1	NSF.	-58° - 392°F; -50° - 200°C	7/8"	2-3/4"L	<ul><li>Tapered Tip Probe</li><li>Hold Function</li></ul>	Each	24/96
TMT-WD3	NSF	-40° - 500°F; -40° - 260°C	1"W	5"L	<ul> <li>1.5mm Step-Down Probe</li> <li>Min./Max. and Hold Functions</li> <li>Antimocrobial Sleeve</li> <li>Calibratable</li> </ul>	Each	24/72

### **INFRARED THERMOMETER**

- ♦ Point at surface to get an accurate temperature reading, with no risk of cross-contamination.
- Distance to spot ratio 12:1

ITEM	NSF	TEMPERATURE RANGE	LCD	PROBE	MOUNTING / OTHER FEATURES	UOM	CASE
TMT-IF1	N/A	-26° - 608°F; -32° - 320°C	1" Back-Lit	N/A	<ul> <li>Auto Temp. Hold</li> <li>Auto Off When Idle 20 Seconds</li> <li>Laser ON/OFF</li> </ul>	Each	12/48





#### **THERMOMETERS** NSF. **TMT-SERIES** as indicated TMT-P2 TMT-MT2 TMT-HH1 TMT-P1 TMT-P3 TMT-MT3 TMT-OV2 TMT-OV3 TMT-IR1 TMT-GS2 HOT HOLDING Hang or stand-alone TEMPERATURE RANGE ITEM NSF DIAL FACE **GUIDELINE ON DIAL** UOM CASE 100° - 180°F; TMT-HH1 2" Dia HACCP 12/96 Each NSF. 38° - 82°C **POCKET TEST** ◆ Includes protective sleeve with built-in clip Calibrate for accuracy ITEM TEMPERATURE RANGE DIAL FACE **PROBE GUIDELINE ON DIAL** NSF UOM CASE TMT-P1 0 - 220°F; 1" Dia 5"L HACCP Each 12/72 (NSF.) -18 - 104°C -40 - 180°F; -40 - 80°C 5"L TMT-P2 1" Dia HACCP Each 12/72 NSF. 50 - 550°F; 10 - 288°C TMT-P3 1" Dia 5"L **HACCP** Each 12/144 (NSF.) MEAT Hand held with adjustable indicator TEMPERATURE RANGE **DIAL FACE** PROBE **GUIDELINE ON DIAL** UOM CASE TMT-MT2 130 - 190°F; 55 - 85°C 2" Dia 5"L **HACCP** Each 12/144 NSF. TMT-MT3 130 - 190°F; 3" Dia 5"L HACCP Each 12/72 NSF 55 - 85°C **OVEN** Hanging hook and standing panel are built-in TEMPERATURE RANGE DIAL FACE **GUIDELINE ON DIAL** UOM CASE 40 - 500°F; 10 - 260°C TMT-OV2 2" Dia **HACCP** Each 12/144 (NSF.) 40 - 500°F; 10 - 260°C TMT-OV3 3" Dia HACCP Each 12/144 (NSF.) **GRILL FACE** ◆ Flat surface for grill-top ITEM NSF TEMPERATURE RANGE **DIAL FACE** UOM CASE TMT-GS2 150 - 700°F; 2" Dia Each 3/144 (NSF.) 70 - 370°C **INSTANT READ** Includes protective sleeve with built-in clip Calibratable for accuracy ITEM NSF TEMPERATURE RANGE DIAL FACE PROBE **GUIDELINE ON DIAL** UOM CASE TMT-IR1 0 - 220°F; 1-3/4" Dia 5"L HACCP 12/72 Each

(NSF.)

-18 - 104°C



# **THERMOMETERS**



### FROTHING

- Includes pot clip
- Calibrate for accuracy

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE	PROBE	OC AVAILABLE	UOM	CASE	_
TMT-FT1	NSE	0-220°F	1" Dia	5"L	Optional	Each	12/144	

#### CANDY/DEEP FRYER

- Includes pot clip
- Calibrate for accuracy

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE	PROBE	<b>GUIDELINE ON DIAL</b>	OTHER FEATURES	UOM	CASE
TMT-CDF2	NSE	100-400°F; 40-200°C	2" Dia	5"L	HACCP	<ul><li>Adjustable Indicator</li><li>Calibratable</li></ul>	Each	12/144
TMT-CDF3	NSF	100-400°F; 40-200°C	2" Dia	12"L	HACCP	<ul><li>Adjustable Indicator</li><li>Calibratable</li></ul>	Each	12/144
TMT-CDF4	N/A	100-400°F; 40-200°C	2" x 11-3/4"	N/A	N/A	<ul><li>Top Hanging</li><li>Vertical Read</li></ul>	Each	12/72
TMT-CDF5	NSE	100-500°F; 40-260°C	3" Dia	12"L	HACCP	<ul><li>Adjustable Indicator</li><li>Calibratable</li></ul>	Each	6/36

### REFRIGERATOR/FREEZER

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE	<b>GUIDELINE ON DIAL</b>	MOUNTING	UOM	CASE
TMT-RF1	NSE	-26-86°F; -30-30°C	2-7/8" x 5/8"	N/A	Suction Cup Included	Pack	12/144
TMT-RF2	NSE.	-20-70°F; -30-21°C	2" Dia	HACCP	Built-in Hanging Hook & Standing Panel	Each	12/72
TMT-RF3	NSE	-20-70°F; -30-21°C	3" Dia	HACCP	Built-in Hanging Hook & Standing Panel	Each	12/72
TMT-RF4	NSE	-20-80°F; -28-26°C	3-1/2" x1-1/8"	HACCP	Suction Cup Included	Each	12/72

## INDOOR / OUTDOOR

- Weather resistant, rust proof
- Install with hanging hook or double-sided adhesive (included)

ITEM	NSF	TEMPERATURE RANGE	DIAL FACE	UOM	CASE
TMT-IO1	N/A	-40° - 120°F;	1-3/4" Dia	Each	12/144





# STATIK BOARD™ CUTTING BOARDS









Edges of the non-slip feet help prevent boards from sliding when stored upright without racks





New Item



#### STATIK BOARD™ CUTTING BOARDS

The patented original design of STATIK BOARD™ puts safety first with molded-through, non-slip feet that prevent slipping & sliding, even on wet countertops. Rubberized sides of the board help maintain an upright storage position without sliding. They hold firm, are sturdy, and the fully-rubberized hook makes them easy to store and transport.

- ♦ Built-in hook for easy transport and hygienic storage
- Rubberized feet grip flat surfaces; rubberized sides keep the board upright without sliding
- Available in three (3) popular sizes
- ◆ HACCP color-coding system to minimize cross-contact
- Tough board surface reduces knife dulling; durable copolymer prevents warping
- Dishwasher safe

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBN-1218BN	12" x 18" x 1/2"	Brown	Each	6
CBN-1218BU	12" x 18" x 1/2"	Blue	Each	6
CBN-1218GR	12" x 18" x 1/2"	Green	Each	6
CBN-1218PP	12" x 18" x 1/2"	Purple	Each	6
CBN-1218RD	12" x 18" x 1/2"	Red	Each	6
CBN-1218WT	12" x 18" x 1/2"	White	Each	6
CBN-1218YL	12" x 18" x 1/2"	Yellow	Each	6
CBN-1520BN	15" x 20" x 1/2"	Brown	Each	6
CBN-1520BU	15" x 20" x 1/2"	Blue	Each	6
CBN-1520GR	15" x 20" x 1/2"	Green	Each	6
CBN-1520PP	15" x 20" x 1/2"	Purple	Each	6
CBN-1520RD	15" x 20" x 1/2"	Red	Each	6
CBN-1520WT	15" x 20" x 1/2"	White	Each	6
CBN-1520YL	15" x 20" x 1/2"	Yellow	Each	6
CBN-1824BN	18" x 24" x 1/2"	Brown	Each	6
CBN-1824BU	18" x 24" x 1/2"	Blue	Each	6
CBN-1824GR	18" x 24" x 1/2"	Green	Each	6
CBN-1824PP	18" x 24" x 1/2"	Purple	Each	6
CBN-1824RD	18" x 24" x 1/2"	Red	Each	6
CBN-1824WT	18" x 24" x 1/2"	White	Each	6
CBN-1824YL	18" x 24" x 1/2"	Yellow	Each	6









## A

#### STATIK BOARD™ GARNISH CUTTING BOARD

#### Same great board in small size.

- ♦ Built-in hook
- Molded through non-slip feet
- Reduces knife dulling and resists warping
- Dishwasher safe

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBNI-610WT	6" v 10" v 1/2"	White	Fach	20





#### STATIK BOARD™ CUTTING BOARDS

#### Same great board in full color.

- ◆ Built-in hook for easy transport and hygienic storage
- Rubberized feet grip flat surfaces; rubberized sides keep the board upright without sliding
- Available in three (3) popular sizes
- ◆ HACCP color-coding system to minimize cross-contact
- Tough board surface reduces knife dulling; durable copolymer prevents warping
- Dishwasher safe

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBK-1218BN	12" x 18" x 1/2"	Brown	Each	6
CBK-1218BU	12" x 18" x 1/2"	Blue	Each	6
CBK-1218GR	12" x 18" x 1/2"	Green	Each	6
CBK-1218RD	12" x 18" x 1/2"	Red	Each	6
CBK-1218YL	12" x 18" x 1/2"	Yellow	Each	6
CBK-1520BN	15" x 20" x 1/2"	Brown	Each	6
CBK-1520BU	15" x 20" x 1/2"	Blue	Each	6
CBK-1520GR	15" x 20" x 1/2"	Green	Each	6
CBK-1520RD	15" x 20" x 1/2"	Red	Each	6
CBK-1520YL	15" x 20" x 1/2"	Yellow	Each	6
CBK-1824BN	18" x 24" x 1/2"	Brown	Each	6
CBK-1824BU	18" x 24" x 1/2"	Blue	Each	6
CBK-1824GR	18" x 24" x 1/2"	Green	Each	6
CBK-1824RD	18" x 24" x 1/2"	Red	Each	6
CBK-1824YL	18" x 24" x 1/2"	Yellow	Each	6

Edges of the non-slip feet help prevent boards from sliding when stored upright without racks

# STATIK BOARD™ CUTTING BOARDS













CBK-SERIES BP





# **CUTTING BOARDS**



### WHITE RECTANGULAR CUTTING BOARDS

ITEM	DESCRIPTION	UOM	CASE
CBWT-610	6" x 10" x 1/2"	Each	20
CBWT-1218	12" x 18" x 1/2"	Each	6
CBWT-1520	15" x 20" x 1/2"	Each	6
CBWT-1824	18" x 24" x 1/2"	Each	6
CBWT-1830	18" x 30" x 1/2"	Each	6
CBH-1218	12" x 18" x 3/4"	Each	6
CBH-1520	15" x 20" x 3/4"	Each	6
CBH-1824	18" x 24" x 3/4"	Each	6
CBXH-1218	12" x 18" x 1"	Each	4
CBXH-1520	15" x 20" x 1"	Each	4
CBXH-1824	18" x 24" x 1"	Each	4



#### WHITE GROOVED CUTTING BOARDS

 Higher efficiency in food prep without worrying about juice spillage

ITEM	DESCRIPTION	UOM	CASE
CBI-1218	12" x 18" x 1/2"	Each	6
CBI-1520	15" x 20" x 1/2"	Each	6
CBI-1824	18" x 24" x 1/2"	Each	6
CBI-1824H	18" x 24" x 3/4"	Each	6


## **CUTTING BOARD RACKS**



#### **CUTTING BOARD RACKS**

◆ Fits cutting boards up to 1" thick

ITEM	DESCRIPTION	UOM	CASE
CB-6L	6 Slots, Chrome Plated	Each	6/12
CB-6K	6 Slots, Vinyl Coated	Each	10



# **CLEANING BRUSHES**







#### **VEGETABLE CLEANING BRUSH**

- Rigid polyester bristles effectively remove dirt and impurities from vegetable skins
- Circular opening surrounds cucumbers, carrots or zucchini for thorough, all-around cleaning
- ◆ Comfortable, easy-grip ergonomic handle
- Includes built-in hole for convenient hanging storage

ITEM	DESCRIPTION	COLOR	UOM	CASE	
BRV-10	9-1/4"L x 4-3/4"W, Plastic Handle	White	Each	12/48	











#### BOTTLE CLEANING BRUSH

- Ergonomic handle helps to reduce strain when washing bottles, glasses, pitchers or carafes
- Soft, durable ployester bristles effectively remove residue without scratching
- Easily reaches into narrow bottle necks and inner corners
- Includes built-in hole for convenient hanging storage

ITEM	DESCRIPTION	COLOR	UOM	CASE
BRB-12	12"L x 2-3/4" Dia, Plastic Handle	White	Each	12/48





#### HACCP COLOR-CODED CUTTING BOARDS

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBBN-1218	12" x 18" x 1/2"	Brown	Each	6
CBBU-1218	12" x 18" x 1/2"	Blue	Each	6
CBGR-1218	12" x 18" x 1/2"	Green	Each	6
CBRD-1218	12" x 18" x 1/2"	Red	Each	6
CBYL-1218	12" x 18" x 1/2"	Yellow	Each	6
CBBN-1520	15" x 20" x 1/2"	Brown	Each	6
CBBU-1520	15" x 20" x 1/2"	Blue	Each	6
CBGR-1520	15" x 20" x 1/2"	Green	Each	6
CBRD-1520	15" x 20" x 1/2"	Red	Each	6
CBYL-1520	15" x 20" x 1/2"	Yellow	Each	6
CBBN-1824	18" x 24" x 1/2"	Brown	Each	6
CBBU-1824	18" x 24" x 1/2"	Blue	Each	6
CBGR-1824	18" x 24" x 1/2"	Green	Each	6
CBRD-1824	18" x 24" x 1/2"	Red	Each	6
CBYL-1824	18" x 24" x 1/2"	Yellow	Each	6

# HACCP COLOR-CODED CUTTING BOARDS & MATS



COLORED CUTTING BOARDS





#### HACCP COLOR-CODED FLEXIBLE CUTTING MATS

- Mat flexes to easily transport food to cookware or storage
- ◆ Safe, easy to clean and complies with color-coding standards for food preparation hygiene
- ♦ Made of 1/16" thick polyethylene; will not crack or chip
- Six assorted colors included in set

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBF-1218	12" x 18"	Assorted	Set	12
CBF-1520	15" x 20"	Assorted	Set	12
CBF-1824	18" x 24"	Assorted	Set	6

Keep away from open flame. Do not put hot pans on top of mats.





#### HACCP COLOR-CODED CUTTING BOARD SETS

#### Six assorted colors included in set

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBST-1218	12" x 18" x 1/2"	Assorted	Set	1
CBST-1520	15" x 20" x 1/2"	Assorted	Set	1
CBST-1824	18" x 24" x 1/2"	Assorted	Set	1

STANDARD COLOR CODING SYSTEM			
Raw Meats	Raw Poultry	Vegetable & Fruit	
Bakery & Dairy	Cooked Meats	Seafood	



#### HACCP COLOR-CODED BRUSHES

ITEM	DESCRIPTION	COLOR	UOM	CASE
CBR-WT	6-1/2"L x 2-1/2"W	White	Each	24/96
CBR-BN	6-1/2"L x 2-1/2"W	Brown	Each	24/96
CBR-BU	6-1/2"L x 2-1/2"W	Blue	Each	24/96
CBR-GR	6-1/2"L x 2-1/2"W	Green	Each	24/96
CBR-RD	6-1/2"L x 2-1/2"W	Red	Each	24/96
CBR-YL	6-1/2"L x 2-1/2"W	Yellow	Each	24/96

# CUTTING BOARD CLEANING BRUSHES



**CBR-SERIES** 





WCB-2016

# WOODEN CUTTING BOARDS



#### **WOODEN CUTTING BOARDS**

- ◆ 1-3/4" thick durable hardwood
- Cut-out handles on sides for easy handling
- Hand wash only

ITEM	DESCRIPTION	UOM	CASE
WCB-1218	12" x 18"	Each	1/2
WCB-1520	15" x 20"	Each	1/2
WCB-1824	18" x 24"	Each	1
WCB-1830	18" x 30"	Each	1



### WOODEN CARVING BOARD WITH CHANNEL

This solid, natural birch wood carving board ideal for back of house prep as well as front of house carving stations and presentations.

- Wider channel on one side catches larger scraps
- Non-skid rubber feet elevate and hold board steady
- Hand wash only





Non-skid elevated feet



Wider channel on one side to catch larger scraps

#### WOODEN CUTTING/SERVING BOARDS

Hand wash only

	ITEM	DESCRIPTION	UOM	CASE
	WCB-125	12" x 5" x 3/4"	Each	24
Þ	WCB-225	22-1/2"L x 5-1/2"W x 3/4"H	Each	12





WCB-125 with KCS-6

