

Winco's exclusive Weld² System features fail-safe rigidity through both bolting and welding at all critical joints to prevent warping with long term, high-traffic use.



Specialty bolts secure each joint



Bolt caps are welded over completely to form extra- strength juncture

HEAVY-DUTY ALUMINUM 20-TIER SHEET PAN RACK



HEAVY DUTY 20-TIER END-LOAD SHEET PAN RACK. WITH BRAKES

Designed with heavy-duty welded construction and a reinforced base-frame to ensure stability and longlasting performance.

- 20-tier sturdy aluminum construction
- Designed to hold and transport (20) full-size (18" x 26") sheet pans or 40 (13" x 18") half-size sheet pans
- 5" dia, full-swivel casters; two (2) with brake
- Capacity: up to 1,000 Lbs
- ◆ 3″ spacing between each tier

Fully assembled dimensions: 21-3/4"L x 26"W x 70-1/2"H

	ITEM	DESCRIPTION	UOM	CASE
(B) Santa	AWRK-20HBK	20-Tier, Welded	Each	1
	AWRC-5H	Caster for AWRK-20HBK, Heavyweight	Each	12
	AWRC-5HK	Caster w/Brake for AWRK-20HBK, Heavyweight	Each	12



Refer to page 238 for sheet pans

UNIVERSAL CASTERS















CT-44







UNIVERSAL CASTERS, EXTRA HEAVY-DUTY

- Use with most appliances including ranges or walk-in refrigerators
- Polyurethane, skid-free will not mark floors
- High-quality grease-resistant wheel
- Temperature range from 14°F to 212°F
- Wheel capacity: 220 lbs each
- CT-1 and CT-1B fit standard 1-5/8" or 1-1/2" tubing
- 2 pieces per set

ITEM	DESCRIPTION	PLATE SIZE	UOM	CASE
CT-1	Worktable Stem Caster Set		Set	1/12
CT-1B	Worktable Stem Caster Set w/Brake		Set	1/12
CT-23	Universal Plate Caster Set	2-3/8" x 3-5/8"	Set	1/12
CT-23B	Universal Plate Caster Set w/ Brake	2-3/8" x 3-5/8"	Set	1/12
CT-33	Universal Plate Caster Set	3-1/2" x 3-1/2"	Set	1/12
CT-33B	Universal Plate Caster Set w/ Brake	3-1/2" x 3-1/2"	Set	1/12
CT-44	Universal Plate Caster Set	4" x 4"	Set	1/12
CT-44B	Universal Plate Caster Set w/Brake	4" x 4"	Set	1/12



CT-33



CT-23B

CT-44B



U **USSING** 8 **TRANSPOR**

Made for the most demanding restaurant kitchens, these aluminum sheet pan racks accommodate standard full-size 18" x 26" sheet pans, or twice the capacity with half-size 18" x 13" pans.

10-TIER SHEET PAN RACKS

- Sturdy aluminum construction
- Hold and transport 10 full-size (18" x 26") sheet pans
- 5" dia, full-swivel casters; two (2) with brake
- Capacity: up to 400 Lbs
- 3" spacing between each tier
- Ships welded or knocked down
- Fully assembled dimensions: 21"L x 26-1/2"D x 39"H

	ITEM	DESCRIPTION	UOM	CASE
ANALLE BERKE	AWRK-10	10-Tier, Welded	Each	1
	ALRK-10BK	10-Tier, Knocked Down	Each	1
	ALRK-10	10-Tier w/o Brakes, Knocked Down	Each	1
	ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
	ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12

20-TIER END-LOAD SHEET PAN RACKS

- Sturdy aluminum construction
- Hold and transport 20 full-size (18" x 26") sheet pans
- 5" dia, full-swivel casters; two (2) with brake
- Capacity (ALRK-20R): up to 500 Lbs
- Capacity (ALRK-20 & ALRK-20BK): up to 700 Lbs
- Capacity (AWRK-20): up to 800 Lbs
- 3" spacing between each tier
- Ships welded or knocked down
- Fully assembled dimensions (ALRK-20, -20BK, AWRK-20): 21"L x 26-1/2"W x 70"H
- Fully assembled (ALRK-20R): 20-1/4"L x 26"W x 69-1/4"H

		-			
		ITEM	DESCRIPTION	UOM	CASE
	ANCEL SERVICE	AWRK-20	20-Tier, Welded	Each	1
9	i	ALRK-20BK	20-Tier, Knocked Down	Each	1
Ĩ		ALRK-20	20-Tier w/o Brakes, Knocked Down	Each	1
		ALRK-20R	20-Tier, Knocked Down, ECONOMY	Each	1
		ALRC-5ST	Caster for ALRK-20/-20BK & AWRK-20	Each	12
		ALRC-5STK	Caster w/Brake for ALRK- 20/-20BK & AWRK-20	Each	12
		ALRC-5R	Caster for ALRK-20R	Each	12
		ALRC-5RK	Caster w/Brake for ALRK-20R	Each	12



- Aluminum construction, 14 gauge
- Hold and transport 30 full-size (18" x 26") sheet pans
- 5" dia, heavyweight full-swivel casters; two (2) with brake
- Capacity: up to 700 Lbs
- 2" spacing between each tier
- Ships welded or knocked down
- Fully assembled dimensions: 21"L x 26-1/2"D x 70"H

	ITEM	DESCRIPTION	UOM	CASE
ANCEL SECONS	AWRK-30	30-Tier, Welded	Each	1
	ALRK-30BK	30-Tier, Knocked Down	Each	1
	ALRC-5H	Caster for ALRK-30BK, Heavyweight	Each	12
	ALRC-5HK	Caster w/Brake for ALRK-30BK, Heavyweight	Each	12



ALUMINUM SHEET PAN

AVAILABLE

KNOCKED DOWN OR

AFLD²

RACKS





ALRK-20R

ALUMINUM NESTING SHEET Desting RACK, WITH BRAKES PAN RACKS



Designed with space-saving in mind, the Z-rack fits snugly with nesting racks to conserve floor space while in storage. The Z-rack accommodates standard full-size sheet pans, or double up with half-size pans.

- 20-tier sturdy aluminum construction
- Z-frame nesting design for compact storage
- Capacity: up to 650 lbs & 20 full-size (18" x 26") sheet pans
- Full-swivel casters; two (2) with brake
- 3" spacing between each tier
- Fully assembled: 22" L x 27-1/2"W x 70"H

	ITEM	DESCRIPTION	UOM	CASE
		20-Tier, Welded	Each	1
\mathbf{O}	ALZK-20BK	20-Tier, Knocked Down	Each	1
	ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
	ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12





AVAILABLE

KNOCKED DOWN OR

weld²

<

nested together

ALUMINUM SIDE-LOAD SHEET PAN RACKS

🔟 20-TIER SIDE-LOAD RACK, WITH BRAKES

Designed with side-load access for alternative convenience in tight kitchen and bakery spaces.

- 20-tier sturdy aluminum construction
- Designed to hold and transport (20) full-size (18" x 26") sheet pans
- 5" dia, full-swivel casters; two (2) with brake
- Capacity: up to 650 Lbs
- 3" spacing between each tier
- Ships welded or knocked down
- Fully assembled dimensions: 29-1/2"L x 19-1/2"W x 70-3/8"H

	ITEM	DESCRIPTION	UOM	CASE
		20-Tier, Welded	Each	1
	ALRS-20BK	20-Tier, Knocked Down	Each	1
÷	ALRC-5ST	Caster for ALZK & AWZK- series	Each	12
	ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12





26-TIER PIZZA PAN RACK, WITH BRAKES

Each tier features an extended ledge to accommodate round or square pizza pans.

- 26-tier sturdy aluminum construction
- Designed to hold and transport 17" & 19" dia round pizza pans and 16" & 17" square Sicilian pizza pans
- 5" dia, full-swivel casters; two (2) with brake
- Capacity: up to 800 Lbs
- 2" spacing between each tier
- ◆ 4-1/8" wide ledge for round or square pizza pans
- Ships welded or knocked down
- ◆ Fully assembled dimensions: 23"L x 21"W x 62-7/8"H

	ITEM	DESCRIPTION	UOM	CASE
		26-Tier, Welded	Each	1
	ALPR-26BK	26-Tier, Knocked Down	Each	1
•	ALRC-5ST	Caster for ALZK & AWZK- series	Each	12
	ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12





U

USSING

TRANSPORT



ALRC-5STK 5" caster with brake

ALPR-26BK AWPR-26BK

ALUMINUM SHEET PAN RACK & TRUCK



ALUMINUM COUNTER-HEIGHT END-LOAD

- Stainless steel solid top is useful as a work surface, and can also help to transport bulky items
- 14 gauge 6063 aluminum with 1" extruded tube frame
- Full swivel casters, 5" diameter x 1-1/4"
- Holds 15 full-size (18" x 26") or 30 half-size (18" x 13") sheet pans (not included)
- Capacity: up to 400 lbs
- Ships knocked down
- ◆ Fully assembled: 20-7/8"L x 26-1/8"W x 31-5/8"H

ITEM	DESCRIPTION	UOM	CASE
ALRK-15	15-Tier	Each	1
ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12

ALUMINUM SHEET PAN TRUCK

- ◆ 14 gauge 6063 aluminum with 1" extruded aluminum tube frame
- Full swivel casters, 5" diameter x 1-1/4" width
- ◆ Holds 54 full-size (18" x 26") or 108 half-size (13" x 18") sheet pans (not included)
- Ships knocked down
- Fully assembled: 28-7/8"L x 20-5/8"W x 33-3/8"H

ITEM	DESCRIPTION	UOM	CASE
ALRK-3	Sheet Pan Truck	Each	1
ALRC-5P	Replacement Caster for ALRK-3	Each	12







STAINLESS STEEL STEAM TABLE PAN/ FOOD PAN RACKS







SRK-12 Fits a combination of full, half or third-size pans

STAINLESS STEEL STEAM TABLE PAN/FOOD PAN RACKS

- Stainless steel construction
- Customize with a variety of steam table pans and food pans for the best configuration
- Dual-ended locking bars prevent pans from sliding out
- Caster bumpers protect walls, doors and rack during minor collisions
- Channel ledges are tightly welded to rails providing better support for pans
- 4" dia double-bearing, full-swivel casters help stabilize weight capacity
- Capacities: up to 1,000 Lbs (SRK-36) or up to 500 Lbs (SRK-12, SRK-12D)
- Ships knocked down
- 1-1/2" and 1-3/4" spacing between each tier

FULL HEIGHT RACKS - 36-TIER





UOM

CASE

1

Customize with a variety of steam table pans and food pans for the best configuration

UOM

CASE

Refer to page 224 for steam pans

SRK-12D Fits full length pans only, two per tier





SRK-CTB 4" caster with brake

REPLACEMENT CASTERS

ITEM	DESCRIPTION	UOM	CASE
SRK-CT	Caster for SRK-Series	Each	4/16
SRK-CTB	Caster w/Brake for SRK-Series	Each	4/16



ITEM	DESCRIPTIO	ЛС		UOM	CASE					Δ	ΓF	SSO	DIF	ACK S	
ALRK-10-CV	Cover for 25"W x 2			Each	1/12	-				AC	CL	550	TXIL	0	
ALRK-20-CV	Cover fo 30-Tier F 25"W x 2	Racks,		Each	1/12									1	
ALRK-20-HC			-	l, Each	1/12									37	
		Cler	ar-view v	nyl.	A STATISTICS	-				Opaqu	e white	e vinyl,			ALRK-2
			per closu		A	LRK-10-	CV				er clos				5
SHEET PA	AN RA	CK R	EPLAC	EMEN	T CAS	STERS									
ITEM	DESCRIPTIO	ON		UOM	CASE	_									
ALRC-5P	Caster f	or ALRK	<-3	Each	12										
ALRC-5ST	Caster f series	or ALRK	K & AWRK	Each	12									-	
ALRC-5STK		v/Brake eries	o for ALRK	& Each	12							L			1
ALRC-5R	Caster f	or ALRK	<-20R	Each	12					1	2	1	R.	1	
	Caster V ALRK-20	IR		Each	12										
ALRC-5H ALRC-5HK	Caster f Heavyw Caster v	/eight		Each Each	12 12					ALRO	C-5P	ALR	C-5ST	ALRC-5	STK ALF
	ALRK-30	BK, Heo	avy-duty K-20HBK,	Each	12					, (Ert	0 01	, LIN	0 001		
	Heavy-	duty											1	6	
AWRC-5HK	Caster v AWRK-2	v/Brake 0HBK, F	e for leavy-du	Each 'y	12									-	
SRK-CT	Caster f			Each	4/16										
	Caster	v/ Brake	e for SRK-	36 Each	4/16										3
SRK-CTB		ALRC-5ST				STER ITEM N					CDV CT	CDK CTD	Δ	ALRC-5RK	ALRC-5
SRK-CTB		2	ALRC-5SIK 2	ALRC-5E AL		-5H ALRC-5H	R ALKO-JR	ALRC-5RK	Airke-Jii	Anko-onk	SRK-CI	JRR-CID			
ALPR-26BK	ALLO U														
ALPR-26BK ALRK-10/20	Fille of	4	0										100 C		
ALPR-26BK			2											= 2	
ALPR-26BK ALRK-10/20 ALRK-		4	2	2	2		2	2					1		
ALPR-26BK ALRK-10/20 ALRK- 10BK/15/20BK ALRK-20R ALRK-3		4	2	2			2	2					1	N.E.	
ALPR-266BK ALRK-10/20 ALRK-10/20 ALRK-10/20 ALRK-20 ALRK-20 ALRK-3 ALRK-30BK		4 2		2	2	2	2	2					1) of
ALPR-26BK ALRK-10/20 ALRK- 10BK/15/20BK ALRK-20R ALRK-3		4	2 2 2 2 2	2		2	2	2							
ALPR-26BK ALRK-10/20 ALRK- 10BK/15/20BK ALRK-20R ALRK-30BK ALRK-30BK ALRS-20BK ALZK-20BK AWPR-26BK		4 2 2 2 2 2 2	2 2 2 2	2		2	2	2					A	WRC-5HK	SRK-CT
ALPR-26BK ALRK-10/20 ALRK- 10BK/15/20BK ALRK-20R ALRK-30BK ALRS-20BK ALRS-20BK ALZK-20BK AWPR-26BK AWRK-10/20		4 2 2 2 2	222	2		2	2	2					A	WRC-5HK	SRK-CT
ALPR-268K ALRK-10/20 ALRK- 108K/15/208K ALRK-20R ALRK-30 ALRK-30BK ALRS-208K ALZK-208K AWPR-268K AWRK-10/20 AWRK-20HK		4 2 2 2 2 2 2 2	2 2 2 2 2 2	2		2	2	2	2	2			A	WRC-5HK	SRK-CT
ALPR-26BK ALRK-10/20 ALRK- 10BK/15/20BK ALRK-20R ALRK-30BK ALRS-20BK ALRS-20BK ALZK-20BK AWPR-26BK AWRK-10/20		4 2 2 2 2 2 2	2 2 2 2	2		2	2	2	2	2			A	WRC-5HK	SRK-CT
ALPR-26BK ALRK-10/20 ALRK- 10BK/15/20BK ALRK-20R ALRK-20BK ALRS-20BK ALRS-20BK AWRR-26BK AWRS-20BK		4 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2	2		2	2	2	2	2	2	2	A	WRC-5HK	SRK-CT
ALPR-26BK ALRK-10/20 ALRK- 105K/15/20BK ALRK-20R ALRK-30BK ALRS-20BK ALZK-20BK AWRR-26BK AWRR-20BK AWRS-20BK AWZK-20	4 4 5	4 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2		2			2	2			2 2		WRC-5HK	SRK-CT

Capacity: up to 400 lbs 3-3/4" wheels

• 3-3/4	" wheels		
ITEM	DESCRIPTION	UOM	CASE
DWR-2617	27"L x 18-1/4"W x 2-1/2"H	Each	1
DWR-CT	Caster for DWR-2617	Each	4/24
DWR-CTB	Caster w/ Brake for DWR-2617	Each	4/24

Refer to page 250 for dough boxes



DWR-2617

BUSSING & TRANSPORT

FLATWARE ORGANIZERS



FLATWARE/CUTLERY CYLINDERS & HOLDERS

ITEM	DESCRIPTION	UOM	CASE
FC-PL	Perforated, Plastic	Each	36/144
FC-SS	Perforated, S/S	Each	20/80
FC-SL	Solid, S/S	Each	20/80
FC-4H	4-Holes/2-Tier Holder, S/S	Each	1/4
FC-6H	6-Holes/2-Tier Holder, S/S	Each	1/2




NSE FC-SERIES



FLATWARE/CUTLERY COMPARTMENT BINS

ITEM	DESCRIPTION	UOM	CASE
PL-4B	Plastic	Each	1/12
SCB-4	Stainless Steel	Each	1/8

BPA FREE PL-4B



FC-4H with FC-PL

FLATWARE/CUTLERY ORGANIZERS

UOM

Set

CASE

1

Each 6

DESCRIPTION

OGZ-1B Single Bin for OGZ-6

Organizer Bin Set



OGZ-6



ITEM

OGZ-6

OGZ-1B



FLATWARE/CUTLERY DISHWASHER BASKET & 8 compartments, molded-in bandles

PCB-8	17" x 8" x 6"	Each	12
ITEM	DESCRIPTION	UOM	CASE
• 0 00	inpunnenis, molded-	innui	icies









ITEM	DESCRIPTION	COLOR	UOM	CASE
PLP-5G	21-1/4" x 15-3/8" x 4-7/8"	Gray	Each	1
PLP-5W	21-1/4" x 15-3/8" x 4-7/8"	White	Each	1

STANDARD POLYPROPYLENE DISH BOXES

ITEM	DESCRIPTION	COLOR	UOM	CASE
PL-5G	20-1/4" x 15-1/2" x 5"	Gray	Each	1
PL-5K	20-1/4" x 15-1/2" x 5"	Black	Each	1
PL-5W	20-1/4" x 15-1/2" x 5"	White	Each	1
PL-7G	21-1/2" x 15" x 7"	Gray	Each	1
PL-7B	21-1/2" x 15" x 7"	Brown	Each	1
PL-7K	21-1/2" x 15" x 7"	Black	Each	1
PL-7W	21-1/2" x 15" x 7"	White	Each	1
PL-57C	Cover	Gray	Each	1/12
PL-57B	Cover	Brown	Each	1/12
PL-57K	Cover	Black	Each	1/12
PL-57W	Cover	White	Each	1/12

HEAVYWEIGHT POLYPROPYLENE DIVIDED BUS BOXES

- Two (2) compartments
- Economical storage for heavy loads
- Rounded corners for easy cleaning

ITEM	DESCRIPTION	COLOR	UOM	CASE
PLTC-7G	21" x 16-3/4" x 6-1/2"	Gray	Each	1
PLTC-7K	21" x 16-3/4" x 6-1/2"	Black	Each	1

WHITE POLYPROPYLENE MINI BIN

ITEM	DESCRIPTION	UOM	CASE
PL-MB	14-3/4" x 12-1/2" x 5-3/8"	Each	24
PL-MBC	Cover	Each	24







PL-MB-SERIES

U

USSING & TRANSPOR



UTILITY & BUS CARTS



FOLDING 3-TIER UTILITY CARTS

Add convenient mobility and compact storage in one. Transport stacked dishes, bus boxes, or meals to serve. Ideal for room service, off-site catering and table service.

- Fold/unfold in a single smooth motion; fit behind doors, between counters, in delivery van
- Handles on both ends and easy-clean shelves
- 18/8 stainless steel uprights with built-in locking latch
- 350Lb overall capacity

Built-in

locking latch

Swivel casters w/4" wheels; 2 with step-lock brakes

ITEM	DESCRIPTION	UOM	CASE
UCF-2916K	29″W x 16-1/2″D x 36″H	Set	1
UCF-3820K	38-3/4"W x 20-3/4"D x 36"H	Set	1

for fransporting

3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves

UC-2415 series weighs 17.5 lbs

Accessory bins sold separately

UC-3019 series weighs 27 lbs


Ships knocked down



shown with one (1) PLW-7G



UCF-3820K shown with two (2) PLW-7G



Folds down





UC-RB





Caster with brake

New Item



4 swivel casters, 2 with brakes

ITE	EM	DESCRIPTION	CAPACITY	COLOR	UOM	CASE
U	C-2415G	32″L x 16-1/8″W x 36-3/4″H	330 Lbs	Gray	Set	1
U	C-2415K	32″L x 16-1/8″W x 36-3/4″H	330 Lbs	Black	Set	1
U	C-3019G	40-3/4″L x 19-1/2″W x 37-3/8″H	400 Lbs	Gray	Set	1
U	C-3019K	40-3/4″L x 19-1/2″W x 37-3/8″H	400 Lbs	Black	Set	1
U	C-RB	Refuse Bin			Each	3
U	C-SB	Silverware Bin			Each	6
U	C-WH	Caster			Each	1/30
U	C-WHB	Caster w/ Brake			Each	1/30

3-TIER STAINLESS STEEL TROLLEYS

- Caster bumpers protect walls, doors, and the cart from minor collisions
- Ships knocked down

ITEM	DESCRIPTION (L X W X H)	UOM	CASE
SUC-30	30" x 16" x 33" (w/Casters)	Set	1
SUC-40	33" x 17" x 35" (w/Casters)	Set	1
SUC-50	37" x 19" x 37" (w/Casters)	Set	1
SUC-CT	Caster for SUC-Series	Each	4/16
SUC-CTB	Caster w/Brake for SUC-Series	Each	4/16



ALUMINUM END-LOAD 6-TIER BUS BOX CART

- 14 gauge aluminum with a 1" extruded aluminum tube frame
- 5" Dia x 1-1/4" W, full swivel casters
- Ships knocked down
- Capacity: 6 (or more when stacked) bus or lug boxes

ITEM DESCRIPTION UOM CASE ABBC-6 18-5/8" x 26" x 70-1/4", Fits PL-5G, PL-5K, PL-5W, PL-7G, PL-7K, PL-7W, PL-8 Winco" Bus Boxes Set 1 ALRC-5ST Caster for ABBC-6 Each 12



LUG BOX/BUS BOX CARTS



ABBC-6

ALUMINUM LUG BOX CART

- 14 gauge aluminum with a 1" extruded tube frame
- ◆ 5" Dia x 1-1/4" W, full swivel casters
- Ships knocked down
- Use with single or stacked lug boxes

ITEM	DESCRIPTION	UOM	CASE	
ALBC-1	16-3/4" x 25-1/16" x 19", Fits PL-5, PL-7, PL-8 Winco® Lug Boxes	Set	1	-
ALRC-5ST	Caster for ALBC-1	Each	12	



ALBC-1 NSF.

DURABLE POLYPROPYLENE DRY INGREDIENT BINS

- Ideal mobile storage for dry bulk ingredients
- Space-efficient under-counter height
- Advanced super-clasp slanted lid design easily slides open to scoop ingredients; when closing, lid slides over the bin to reduce possible debris on the lid from falling in
- Quickly view contents through the clear cover
- Four 3" casters (2 fixed & 2 swivel w/brakes) for easy mobility
- Built-in storage holds the included scoop, effectively keeping the handle out of ingredients

00-	ITEM	DESCRIPTION	SIZE	UOM	CASE
	IB-21	21 Gallon	13" x 29-1/4" x 28"	Set	1
	IB-27	27 Gallon	15-1/2" x 29-1/2" x 28"	Set	1
	IB-C3	Fixed Caster	3" Dia, Fits IB- 21 and IB-27	Each	1
	IB-C3B	Swivel Caster w/Brake	3" Dia, Fits IB- 21 and IB-27	Each	6
	IB-21-LE	Lid	Fits IB-21	Each	6
	IB-27-LE	Lid	Fits IB-27	Each	6

ITEM	WEIGHT SUGAR	WEIGHT FLOUR
IB-21	159 lbs	124 lbs
IB-27	197 lbs	154 lbs

DRY BULK INGREDIENT BINS







INSULATED ICE CADDY



HOT / COLD FOOD TRANSPORTERS





- Can be used inside or outdoors, in hot or humid conditions
- Drain shelf keeps ice separate from the water, greatly increasing storage time
- Polyethylene molded body is durable and light-weight, top lid slides open
- Polyurethane foam insulation effectively keeps ice cold for several days
- Recessed front handle for convenient pulling or lifting
- No assembly required
- ◆ 125 lb capacity

ITEM	DESCRIPTION	SIZE	UOM	CASE
IIC-29	Ice Caddy w/Sliding Lid	Ext Dim: 23" x 31.5" x 29.25"	Set	1
IIC-C8	Caster for IIC-29	8"	Each	1
IIC-C5B	Brake Caster for IIC-29	5"	Each	6

FULL-SIZE HOT/COLD FOOD TRANSPORTERS

- Molded polypropylene and insulated with polyurethane foam to maintain safe food serving temperatures for hours without the use of electricity or sterno
- Adjustable vent cap equalizes outside and inside compartment pressure for easy lid opening
- Stackable and interlockable for easy storage, and space saving
- Standard food service pans are easy to load and remove
- Easy-clean holding compartments

	ITEM	DESCRIPTION	UOM	CASE
	IFT-1	Single Cabinet Insulated Food Pan Transporter	Set	1
	IFT-2	Double Cabinet Insulated Food Pan Transporter w/Built-In Dolly	Set	1
	IFT-1D	Dolly w/Casters & Cargo Strap fits IFT-1	Set	1
	IFT-C5	5" Caster for IFT-2 & IFT-1D	Each	1
	IFT-C5B	5" Brake Caster for IFT-2 & IFT-1D	Each	1

ITEM	DIMENSIONS	NS COMPARTMENT CAPACITY		
IFT-1	Exterior Dimensions: 18-3/4"W x 26-3/4"D x 24-1/2"H Interior Dimensions: 13-1/4"W x 21"D x 19-5/16"H	6 Full-Size, 2.5" H 4 Full-Size, 4" H 3 Full-Size, 6" H 4 Half-Size, 6" H	8 Half-Size, 4" H 9 1/3 Size, 6" H 12 1/3 Size, 4" H 6 1/3 Size, 8" H	
IFT-2	Exterior Dimensions: 20"W x 27-1/2"D x 47-1/4"H Interior Dimensions for Each Compartment: 13-1/4"W x 21"D x 17"H	Each of the two compartments: 4 Full-Size, 2-1/2" H 3 Full-Size, 4" H 2 Full-Size, 6" H 10 Half-Size, 2-1/2" H	Can hold the following pans: 6 Half-Size, 4" H 4 Half-Size 6" H 6 1/3rd Size, 6" H 9 1/3rd Size, 4" H	
IFT-1D		Use with IFT-1		





INTERIOR VIEW IFT-1

IFT-1D (INCLUDES STRAP) Can also be used with IFPC-series

HOT IFT IFPC	188°F 188°F	184°F 184.5°F	179°F 181.5°F	175.5°F 179°F	171.5°F 176F
COLD	Starting Temperature	1 hour	2 hours	3 hours	4 hours
IFT IFPC	33.8°F 32°F	34.6°F 33°F	35.4°F 34°F	36.3°F 35.5°F	37.1°F 36.5°F
	Starting Temperature	1 hour	2 hours	3 hours	4 hours



WINGO BAG™ PREMIUM PIZZA BAGS

Constructed from sturdy 3-layer fabric, maintains food temperature for longer without condensation buildup.

- Breathable liner reduces condensation
- Insulated flaps help retain temperature
- Dual closure velcro and buckle to keep contents secure
- Multiple straps for secure hold and stability
- Hanging loop for storage/drying
- Clear pockets positioned for storing slips, menus, or to add custom branding
- Reflector strip for safety
- Pizza box capacities: (M) holds (4) 16" / (L) holds (3) 18"

ITEM	DESCRIPTION	UOM	CASE
BGPZ-1909	19"W x 19"D x 9"H (M)	Each	1/6
BGPZ-2109	21-1/2"W x 21-/12"D x 9"H (L)	Each	1/6











PIZZA & MORE DELIVERY BAGS

From kitchen to table, our insulated delivery bags maintain temperature over standard delivery range.

BGPZ-1909

- Outer shell / liner: polyester, Filling: EPE
- Insulated liner retains heat for 2 hours @ 167°F / for 4 hours @ 131° / for 6 hours @ 95°F

ITEM	DESCRIPTION	UOM	CASE
BGDV-12	12" x 12" x 12"	Each	6
BGDV-22	22" x 22" x 12"	Each	6
BGPZ-18	18" x 18" x 5" Pizza Bag	Each	6
BGPZ-20	20" x 20" x 5" Pizza Bag	Each	6
BGPZ-24	24" x 24" x 5" Pizza Bag	Each	6



BGDV-22



BGPZ-SERIES



BGDV-12



DELIVERY BAGS

=W	<i>inGo Bag</i> ™





BGCB-1212 worn cross-body



The delivery solution engineered for savings and functionality.

- High-performance insulation retains temperature
- Waterproof liner prevents leaking and is easy to clean
- Integrated reinforced bottom for stability
- Built-in rubber feet reduce wear and tear over time
- Moisture-resistant exterior prevents bacteria, mold, odors
- Clear pockets positioned for storing slips, menus, or to add custom branding
- Anchor strap to secure bag ideal for bike and scooter delivery (cord not included)
- Reflector strip for safety
- Removable 12 compartment divider to keep beverages, soups and other liquids upright and organized (divider comes with BGCB-1709 only)

ITEM	DESCRIPTION	UOM	CASE
BGCB-1212	12"W x 12"D x 12"H (S)	Each	1/6
BGCB-1709	17"W x 13"D x 9"H (M), Beverage Divider	Each	1/6
BGCB-2314	23"W x 15"D x 14"H (L)	Each	1/4
BGCB-2212	22"W x 22"D x 12"H (XL)	Each	1/4



BGCB-1709 using

anchor straps



BGCB-1709 (M)





BGCB-2212 (XL)



BGDB-1616



WINGO BAG™ PREMIUM BACKPACK

Delivery on the GO with ease and comfort.

- High-performance insulation retains temperature
- Adjustable contoured straps and padded back, ideal for bike and scooter delivery
- Waterproof liner prevents leaking and is easy to clean
- Integrated reinforcements for lightweight bag stability
- Dual close zipper and buckle to keep contents secure
- Clear pocket with zipper closure for storing slips, menus, or to add custom branding
- Built-in rubber feet reduce wear and tear over time
- Moisture-resistant exterior prevents bacteria, mold, odors
- Reflector strip for safety
- Holds up to (8) medium-size containers

DESCRIPTION ITEM UOM CASE BGDB-1616 16"W x 13"D x 16"H Each 1/4







www.wincous.com

